

AEONIC

KITCHEN EQUIPMENT

by



98406 17999

sales@divazconsulting.com



Commercial Induction Boiling Pan



Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)	Capacity (L)
	W	D	H				
PA-BP-30	1650	900	1000	30	415	50	300
PA-BP-20	1465	900	900	20	415	50	200
PA-BP-15	1350	900	900	15	415	50	150
PA-BP-12	1250	900	900	12	415	50	100

Commercial Induction Bratt Pan



Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)	Capacity (L)
	W	D	H				
PA-BT-20	1575	900	900	20	415	50	200
PA-BT-15	1500	900	900	15	415	50	150
PA-BT-12	1350	900	900	12	415	50	100

Commercial Induction Hot plate



Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)
	W	D	H			
PA-HP-20	1620	800	800	20	415	50
PA-HP-15	1315	800	800	15	415	50
PA-HP-12	1010	800	800	12	415	50



Commercial Induction Wok

Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)	Capacity (L)
	W	D	H				
PA-D-600	800	900	800+400	8	415	50	23
PA-D-700	900	1100	800+400	12	415	50	40
PA-D-800	1000	1100	800+400	15	415	50	60
PA-D-900	1100	1200	800+400	20	415	50	80
PA-D-1000	1200	1300	800+400	25	415	50	110



Commercial Induction Cooker

Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)
	W	D	H			
PA-CC-08	650	700	550+400	8	415	50
PA-CC-12				12		

Live Counter



Induction Two Burner Range

Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)
	W	D	H			
PA-LC-X2	1200	600	800	3.5	240	50
				3.5		



Induction Three Burner Range



Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)
	W	D	H			
PA-LC-X3	1200	500	300	3.5	240	50
				3.5		
				3.5		

Tabletop Induction

Tabletop Induction Cooker



Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)
	W	D	H			
PA-TC-03	420	470	180	3.5	240	50
PA-TC-05				5.0		



Tabletop Induction Wok

Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)
	W	D	H			
PA-TW-03	420	470	240	3.5	240	50
PA-TW-05				5.0		



Tabletop Induction Deep Fryer

Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)	Capacity (L)
	W	D	H				
PA-TDF-03	450	530	300+135	3.5	240	50	13
PA-TDF-05				5.0			



Tabletop Induction Hot plate

Model	Size(mm)			Power (kw)	Voltage (v)	Frequency (hz)
	W	D	H			
PA-THP-05	705	580	300	5.0	240	50



Tabletop Induction Idly Cooker

Model	Size(mm)			Power (kW)	Voltage (V)	Frequency (Hz)	Capacity (Idly)
	W	D	H				
PA-TIC-3	480	530	650	3.5	240	50	54



FOR MORE DETAILS CONTACT :

98406 17999

sales@divazconsulting.com

www.divazconsultancy.com

CHENNAI HEAD OFFICE

No L13, 14, Sidco 1st Main Rd,
Kodungaiyur, Chennai,
Tamil Nadu 600118

HYDERABAD BRANCH OFFICE

No L13, 14, Sidco 1st Main Rd,
Kodungaiyur, Chennai,
Tamil Nadu 600118